

feltdecor<sup>®</sup>  
s.line

---

More than silent

**SilentScape** Collection

[www.feltdecor.eu](http://www.feltdecor.eu)



### SilentScape - Feltdecor® acoustic suspended systems

**SilentScape combines a responsible approach to the environment with modern aesthetics.** The suspended modules are made from PET felt recycled from plastic bottles, reducing waste and supporting a closed-loop economy. It's a solution that realistically fits into the idea of sustainable design and conscious material choices.

**Functionality that serves comfort.** With its advanced acoustic properties, SilentScape effectively reduces reverberation and improves room sound quality. It is a dedicated solution for offices, hotels, commercial spaces and workplaces where acoustic comfort translates into the well-being and efficiency of users.

**Design full of freedom and lightness.** The modular design of SilentScape allows you to create individual compositions to match the scale and character of the interior. Elements can be freely combined to create unique patterns and configurations. An additional advantage of the collection is its light weight, which facilitates both transportation and quick installation, regardless of the chosen suspension system.

**Choose SilentScape - the perfect solution for a space that inspires and delights.**

**Available colors:** According to s.line color chart

**Minimum order:** One module

**Mounting method:** Screwed directly to the ceiling, suspended on cables

**Installation method:** Perforation

**Edge finishing:** Straight cut

**Module dimension:** 1200x1200 mm, 2400x1200 mm


**3D models:** Available from distributor

# Color palette

## Primary colors



FD10 / Wolf Grey



FD80 / Ash Grey



FD26 / Moonstone Grey



FD27 / Raven Black



FD25 / Onyx Grey



FD39 / Fallow Grey



FD06 / Desert Sand



FD05 / Sandy Beige



FD66 / Burly Wood



FD51 / Peru Brown

**Thickness:** +/- 9 mm | **Density:** 2000 g/m<sup>2</sup> | **Composition:** 100% PET polyester (partially recycled)  
**Sound absorption class:** PN-EN ISO11654  $\alpha_w = 0,25$  for the product unassembled  
**Fire classification:** PN-EN 13501-1:2018 B-s1, d0 for all product applications

***Slight differences in color and texture may occur with multiple orders.***

*Synthetic felt is a heterogeneous mixture of polyester fibers, so that slight differences in color are a natural characteristic of the material and are no reason for complaint.*

*The colors shown may vary depending on the characteristics of your screen - we recommend that you visit your dealer to make sure of your final color choice.*

# Color palette

Colors on request s.line 9mm - ask for availability



FD08 / Umber Brown



FD49 / Sunny Yellow



FD03 / Tangerine



FD17 / Poppy Red



FD18 / Crimson Mist



FD19 / Purple Rain



FD92 / Galactic Indigo



FD23 / Deep Sky Blue




FD22 / Azure Blue



FD63 / Spring Sky



FD61 / Emerald Aurora



FD72 / Peridot Green



FD13 / Spring Green



FD55 / Fresh Grass



FD04 / Moonlight

**Thickness:** +/- 9 mm | **Density:** 2000 g/m<sup>2</sup> | **Composition:** 100% PET polyester (partially recycled)  
**Sound absorption class:** PN-EN ISO11654  $\alpha_w = 0,25$  for the product unassembled  
**Fire classification:** PN-EN 13501-1:2018 B-s1, d0 for all product applications

***Slight differences in color and texture may occur with multiple orders.***

*Synthetic felt is a heterogeneous mixture of polyester fibers, so that slight differences in color are a natural characteristic of the material and are no reason for complaint.*

*The colors shown may vary depending on the characteristics of your screen - we recommend that you visit your dealer to make sure of your final color choice.*

# Color palette - UV printing

Only on FD05 / FD06 / FD10 / FD66



Classic Woodland



Beech Velvet



Dark Board



Darkwood Whispers



Driftwood Echo



Elder Wood



Oak Impressions



Rustic Grove



Vintage Timber



Walnut Heartwood



Woodland Charm




Woodland Harmony



Old Rust



Vintage Rust



Concrete Mirage

**Thickness:** +/- 9 mm | **Density:** 2000 g/m<sup>2</sup> | **Composition:** 100% PET polyester (partially recycled)  
**Sound absorption class:** PN-EN ISO11654  $\alpha_w = 0,25$  for the product unassembled  
**Fire classification:** PN-EN 13501-1:2018 B-s1, d0 for all product applications

***Slight differences in color and texture may occur with multiple orders.***

*Synthetic felt is a heterogeneous mixture of polyester fibers, so that slight differences in color are a natural characteristic of the material and are no reason for complaint.*

*The colors shown may vary depending on the characteristics of your screen - we recommend that you visit your dealer to make sure of your final color choice.*



## SilentLink\_120

### Dimensions:

SilentLink\_120 A - 1200 x 1200 x 210 mm

SilentLink\_120 B - 1200 x 1200 x 210 mm

## SilentLink\_240

### Dimensions:

SilentLink\_240 A - 2400 x 1200 x 210 mm

SilentLink\_240 B - 2400 x 1200 x 210 mm


**Material thickness:** 9mm

**Material density:** 2000 g/m<sup>2</sup>

**Installation method:** Screwed directly to the surface, suspended on cables

**Packing:** Cartons with dimensions of 40x11x123 cm, weight 6 kg or 40x11x243, weight 12 kg


**Module type:** Razorblade



**SilentLink\_120 A**

**Wide mounting rail - 2 pieces**


\*Mounting - directly to the surface or suspended on cables.



**SilentLink\_120 B**

**Narrow mounting rail - 2 pieces**


\*mounting - suspension on cables




**The suspended system consists of 11 baffles and 2 felt-lined mounting rails - narrow or wide.**

Optional sling systems are available to suit individual installation requirements.


**View from above**



**Cross section**



**Baffle**





## WhisperWave\_120

### Dimensions:

WhisperWave\_120 A - 1200 x 1200 x 249 mm

WhisperWave\_120 B - 1200 x 1200 x 249 mm

## WhisperWave\_240

### Dimensions:

WhisperWave\_240 A - 2400 x 1200 x 249 mm

WhisperWave\_240 B - 2400 x 1200 x 249 mm


**Material thickness:** 9mm

**Material density:** 2000 g/m<sup>2</sup>

**Installation method:** Screwed directly to the surface, suspended on cables

**Packing:** Cartons with dimensions of 40x11x123 cm, weight 6 kg or 40x11x243, weight 12 kg


**Module type:** Razorblade



**WhisperWave\_120 A**

**Wide mounting rail - 2 pieces**


\*Mounting - directly to the surface or suspended on cables.



**WhisperWave\_120 B**

**Narrow mounting rail - 2 pieces**


\*mounting - suspension on cables



**The suspended system consists of 11 baffles and 2 felt-lined mounting rails - narrow or wide.**

Optional sling systems are available to suit individual installation requirements.


**View from above**



**Cross section**



**Baffle**





## FlexiTone\_120

### Dimensions:

FlexiTone\_120 A - 1200 x 1200 x 220 mm

FlexiTone\_120 B - 1200 x 1200 x 220 mm

## FlexiTone\_240

### Dimensions:

FlexiTone\_240 A - 2400 x 1200 x 220 mm

FlexiTone\_240 B - 2400 x 1200 x 220 mm


**Material thickness:** 9mm

**Material density:** 2000 g/m<sup>2</sup>

**Installation method:** Screwed directly to the surface, suspended on cables

**Packing:** Cartons with dimensions of 40x11x123 cm, weight 6 kg or 40x11x243, weight 12 kg


**Module type:** Razorblade



**FlexiTone\_120 A**

**Wide mounting rail - 2 pieces**


\*Mounting - directly to the surface or suspended on cables.



**FlexiTone\_120 B**

**Narrow mounting rail - 2 pieces**


\*mounting - suspension on cables




**The suspended system consists of 11 baffles and 2 felt-lined mounting rails - narrow or wide.**

Optional sling systems are available to suit individual installation requirements.


**Cross section**




**Baffle**



**View from above**



**Diagram of how to plug in the baffles**





## HarmonyGrid\_120 / HarmonyGrid\_120-F

### Dimensions:

HarmonyGrid\_120 A / A-F - 1200 x 1200 x 135 mm

HarmonyGrid\_120 B / B-F - 1200 x 1200 x 135 mm

## HarmonyGrid\_240 / HarmonyGrid\_240-F

### Dimensions:

HarmonyGrid\_240 A / A-F - 2400 x 1200 x 135 mm

HarmonyGrid\_240 B / B-F - 2400 x 1200 x 135 mm


**Material thickness:** 9mm

**Material density:** 2000 g/m<sup>2</sup>



**Installation method:** Screwed directly to the surface, suspended on cables

**Packing:** Cartons with dimensions of 40x11x123 cm, weight 6 kg or 40x11x243, weight 12 kg


**Module type:** Panel



**HarmonyGrid\_120 A / HarmonyGrid\_120 B**  
1200 x 1200 x 135 mm




**HarmonyGrid\_120 A-F / HarmonyGrid\_120 B-F**  
1200 x 1200 x 135 mm



## HarmonyGrid\_120\_A / A-F

### Wide mounting rail - 2 pieces


\*Mounting - directly to the surface or suspended on cables.



## HarmonyGrid\_120\_B / A-F

### Narrow mounting rail - 2 pieces


\*mounting - suspension on cables




The suspended system consists of 11 baffles and 2 felt-lined mounting rails - narrow or wide.

Optional sling systems are available to suit individual installation requirements.

## View from above



## Baffle



With the HarmonyGrid\_F version, you need to glue the caps.



## SilentTune\_120 / SilentTune\_120-F

### Dimensions:

SilentTune\_120 A / A-F - 1200 x 1200 x 135 mm

SilentTune\_120 B / B-F - 1200 x 1200 x 135 mm

## SilentTune\_240 / SilentTune\_240-F

### Dimensions:

SilentTune\_240 A / A-F - 2400 x 1200 x 135 mm

SilentTune\_240 B / B-F - 2400 x 1200 x 135 mm


**Material thickness:** 9mm

**Material density:** 2000 g/m<sup>2</sup>



**Installation method:** Screwed directly to the surface, suspended on cables

**Packing:** Cartons with dimensions of 40x11x123 cm, weight 6 kg or 40x11x243, weight 12 kg


**Module type:** Panel



**SilentTune\_120 A / SilentTune\_120 B**  
1200 x 1200 x 135 mm




**SilentTune\_120 A-F / SilentTune\_120 B-F**  
1200 x 1200 x 135 mm



## SilentTune\_120\_A / A-F

### Wide mounting rail - 2 pieces


\*Mounting - directly to the surface or suspended on cables.



## HarmonyGrid\_120\_B / B-F

### Narrow mounting rail - 2 pieces


\*mounting - suspension on cables




The suspended system consists of 11 baffles and 2 felt-lined mounting rails - narrow or wide.

Optional sling systems are available to suit individual installation requirements.

### View from above



### Baffle



With the SilentTune\_F version, the caps must be glued.

Examples of using SilentScape modules  
in interior design



Examples of using SilentScape modules  
in interior design



WhisperWave



WhisperWave

Examples of using SilentScape modules  
in interior design




FlexiTone



FlexiTone

Examples of using SilentScape modules  
in interior design



HarmonyGrid



HarmonyGrid

Examples of using SilentScape modules  
in interior design




feltdecor<sup>®</sup>  
s.line

---

More than silent

Authorized distributor:



Edit 1/2026

[www.feltdecor.eu](http://www.feltdecor.eu)